








Quotation




SHENZHEN TEEJOIN TECHNOLOGY CO.,LTD



Add: Building A1, Mingjun industrial park,Dalang Street,LongHua new District Shenzhen
 Contact:Ethan Chen Whatsapp/Wechat: +86 18129819941 Email:marketing05@teejoin.com

Quotation for flexible solar panel

Item	Picture	Specification	Unit Price EXW-Shenzhen(USD)	QUANTITY (PCS)	AMOUNT (USD)
35w teejoin flexible solar panel		35 flexible solar panel tolerance 0~+5w Max working voltage (Vm) 6.9 Max working current (Im) 5.07 Opening voltage (Voc) 8.3 Short circuit current (Isc) 5.43 efficiency (ηm) 21% Size: 544×356×1.4mm Weight: 0.48kg Solar cell: 12(2x6)/mono/ 162.75*81.375mm / φ223mm Encapsulation material: EVA	\$26.50	10	\$265.00
50w teejoin flexible solar panel		55 flexible solar panel Power max (Pm): 55 tolerance: 0~+5 Max working voltage (Vm) :10.3 Max working current (Im) :5.34 Opening voltage (Voc) :12.4 Short circuit current (Isc) :5.69 efficiency (ηm) :22.1% size: 544×520×1.4mm weight: 0.7KG solar cell: 18pcs (3x6)/mono/ 162.75*81.375mm / φ223mm encapsulation material: POE	\$37.50	10	\$375.00
85w teejoin flexible solar panel		85 flexible solar panel tolerance 0~+5w Max working voltage (Vm) 16.4V Max working current (Im) 5.18A Open circuit voltage (Voc) 20.1V Short circuit current (Isc) 5.42A efficiency (ηm) 21% Size: 1810×290×1.4mm Weight: 1.3kgs Solar cell: 30(10*3)/mono Encapsulation material: EVA/POE Junction box: IP67	\$63.80	10	\$638.00

<p>100w teejoin flexible solar panel</p>		<p>100W flexible solar panel torlerance 0~+5w Max working voltage (Vm) 20.23 Max working current (Im) 4.96 Opening voltage (Voc) 24.31 Short circuit current (Isc) 5.22 efficiency (ηm) 21% Size: 1065×520×1.4mm Weight: 1.4kg Solar cell: 36(12*3)/mono/ 162.75*81.375mm / φ223mm Encapsulation material: EVA/POE Junction box: IP67 Packing: 20 pieces in a box</p>	<p>\$75.00</p>	<p>10</p>	<p>\$750.00</p>
<p>130w teejoin flexible solar panel</p>		<p>130 flexible solar panel torlerance 0~+5w Max working voltage (Vm) 13.3V Max working current (Im) 9.78A pening voltage (Voc) 16.2V Short circuit current (Isc) 10.22A efficiency (ηm) 23.8% Size: 2010×368×1.4mm Weight: 2.0kgs Solar cell: 24(12*2)/mono Encapsulation material: EVA/POE Junction box: IP67</p>	<p>\$97.50</p>	<p>10</p>	<p>\$975.00</p>
<p>160w teejoin flexible solar panel</p>		<p>160 flexible solar panel torlerance 0~+5w Max working voltage (Vm) 30.3 Max working current (Im) 5.28 Opening voltage (Voc) 36.1 Short circuit current (Isc) 5.61 efficiency (ηm) 21% Size: 840×1040×1.4mm Weight: 2.2kg Solar cell: 54(6x9)/mono/ 162.75*81.375mm / φ223mm Encapsulation material: POE</p>	<p>\$120.00</p>	<p>10</p>	<p>\$1,200.00</p>
<p>240w teejoin flexible solar panel</p>		<p>240 flexible solar panel Voltage:20v , Current:12A, Open v:24.3 , short circuit current:13A Size:1639*699*1.4mm weight:1.4kgs</p>	<p>\$180.00</p>	<p>10</p>	<p>\$1,800.00</p>

250w teejoin flexible solar panel		<p>250 flexible solar panel Voltage:20v , Current:12A, Open v:24.3 , short circuit current:13A Size:1639*699*1.4mm weight:1.4kgs</p>	\$187.50	10	\$1,875.00
315w teejoin flexible solar panel		<p>Power:315W Voltage:33.0v , Current:9.55A, Open voltage:40.1V , short circuit current:9.9V Efficiency:21.2% Size:1660*990*1.4mm Weight: 4.9/6.3kgs Solar cell: 120(20*6)/mono/half cell Encapsulant: POE Junction box: IP68 Cable: 4mm Bending radius: 0.3m Connector: MC4 Compatible Package: 46pcs per pallet, 1104pcs 40HQ'</p>	\$236.00	10	\$2,360.00
355w teejoin flexible solar panel		<p>Power:355W Voltage:34.6v , Current:10.27A, Open voltage:42.5V , short circuit current:10.76V Efficiency:20.9 Size:1840*1040*1.7mm Weight: 4.9/6.3kgs Solar cell: 126(21*6)/mono/half cell Encapsulant: POE Junction box: IP68 Cable: 4mm Bending radius: 0.3m Connector: MC4 Compatible Package: 46pcs per pallet, 1104pcs 40HQ'</p>	\$266.00	10	\$2,660.00

380w teejoin flexible solar panel		Power:380W Voltage:35.5v , Current:10.7A, Open voltage:43.0V , short circuit current:11.30V Efficiency:21.5 Size:1840*1040*1.7mm Weight: 4.9/6.3kgs Solar cell: 126(21*6)/mono/half cell Encapsulant: POE Junction box: IP68 Cable: 4mm Bending radius: 0.3m Connector: MC4 Compatible Package: 46pcs per pallet, 1104pcs 40HQ'	\$288.00	10	\$2,880.00
385w teejoin flexible solar panel		Power:385W Voltage:35.7v , Current:10.78A, Open voltage:43.2V , short circuit current:11.35V Efficiency:21.8 Size:1840*1040*1.7mm Weight: 4.9/6.3kgs Solar cell: 126(21*6)/mono/half cell Encapsulant: POE Junction box: IP68 Cable: 4mm Bending radius: 0.3m Connector: MC4 Compatible Package: 46pcs per pallet, 1104pcs 40HQ'	\$288.50	10	\$2,885.00
1,All above price will be exw-Shenzhen 2, Price will be Valid 2 weeks 3,Price will be included the above items.					